

# PRODUCTS 2021/22





## **SAWN TIMBER**

Sawn timber is shaped round timber. Fine-grained Alpine spruce wood is cut parallel to the trunk axis. This, and the careful drying, guarantee wood products of perfect shape for every application. The final inspection is carried out by highly-experienced employees, who sort the sawn timber into quality classes.



#### Laths

Thickness mm	Width mm	Length m	Unit	III - IV	III - IV - V	IV - V
30	40/50/60/80	4	per m³			
40	40 / 50 / 60 / 80	4	per m³			
50	50 / 60 / 70 / 80 / 100	4	per m³			
60	60 / 80 / 100 / 120 / 140	4	per m³			
	30 40 50	30 40/50/60/80 40 40/50/60/80 50 50/60/70/80/100	30 40/50/60/80 4 40 40/50/60/80 4 50 50/60/70/80/100 4	30 40/50/60/80 4 per m³ 40 40/50/60/80 4 per m³ 50 50/60/70/80/100 4 per m³	30 40/50/60/80 4 per m³ 40 40/50/60/80 4 per m³ 50 50/60/70/80/100 4 per m³	30 40/50/60/80 4 per m³ 40 40/50/60/80 4 per m³ 50 50/60/70/80/100 4 per m³

#### Scantlings

Type of wood	Thickness mm	Width mm	Length m	Unit	III - IV	III - IV - V	IV - V
Spruce fresh	80 / 100	80 / 100	4	per m³			

#### Sawn timber, prismatic fresh

Type of wood	Thickness mm	Width mm	Length m	Unit	0-V	III - IV	III - IV - V	IV - V
Spruce fresh	17	75 / 95	3 - 4	per m³				
Spruce fresh	17	115	4	per m³	-			



#### Sawn timber, narrow

Type of wood	Thickness mm	Width mm	Length	Unit	III-IV	III-IV-V	
Spruce	24	80-160	4	per m <sup>3</sup>			



#### Sawn timber, wide

Type of wood	Thickness mm	Width mm	Length m	Unit	III - IV	III - IV - V	IV - V
Spruce	24 / 30	160 +	4	per m³			



### Sawn timber, prismatic

Type of wood	Thickness mm	Width mm	Length m	Unit	0 - IV	III - IV	III - IV - V	IV - V
Spruce	24	100 / 120	4	per m³				
Spruce	30	300	4	per m³				
Spruce 4	40 / 50	245	4	per m³				
Spruce	40	360	4	per m³				

■ The sawn timber is available in the defined quality classes!

The sawn timber is available in the defined quality classes!

45

